

Certificate of Analysis

Multiquip Aggregates P/L
260 Tenth Ave
Austral
NSW 2179



NATA Accredited
Accreditation Number 1261
Site Number 1254

Accredited for compliance with ISO/IEC 17025.
The results of the tests, calibrations and/or
measurements included in this document are traceable
to Australian/national standards.

Attention: **Steve Mikosic**

Report **402345-A**
Client Reference ARDMORE PARK QUARRY
Received Date Dec 04, 2013

| Client Sample ID | | | 1 | 2 | 3 | 4 |
|---------------------------|-----|----------|--------------|--------------|--------------|--------------|
| Sample Matrix | | | Dust | Dust | Dust | Dust |
| Eurofins mgt Sample No. | | | Deposition | Deposition | Deposition | Deposition |
| Date Sampled | | | M13-De03540 | M13-De03541 | M13-De03542 | M13-De03543 |
| Test/Reference | LOR | Unit | Nov 30, 2013 | Nov 30, 2013 | Nov 30, 2013 | Nov 30, 2013 |
| Insoluble Solids | 0.1 | g/m2/mth | 0.8 | 0.6 | 0.4 | 0.5 |
| Soluble Solids | 0.1 | g/m2/mth | 1.7 | 2.2 | 2.3 | 1.7 |
| Total Solids | 0.1 | g/m2/mth | 2.5 | 2.8 | 2.7 | 2.2 |
| Volume (total) | 1 | mL | 930 | 1000 | 840 | 1000 |

Eurofins | mgt Internal Quality Control Review and Glossary

General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Actual PQLs are matrix dependant. Quoted PQLs may be raised where sample extracts are diluted due to interferences.
4. Results are uncorrected for matrix spikes or surrogate recoveries.
5. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
6. Samples were analysed on an 'as received' basis. 7. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Acknowledgment.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

****NOTE:** pH duplicates are reported as a range NOT as RPD

UNITS

mg/kg: milligrams per Kilogram

ug/l: micrograms per litre

ppb: Parts per billion

org/100ml: Organisms per 100 millilitres

MPN/100mL: Most Probable Number of organisms per 100 millilitres

mg/l: milligrams per litre

ppm: Parts per million

%: Percentage

NTU: Units

TERMS

| | |
|-------------------------|---|
| Dry | Where a moisture has been determined on a solid sample the result is expressed on a dry basis. |
| LOR | Limit of Reporting. |
| SPIKE | Addition of the analyte to the sample and reported as percentage recovery. |
| RPD | Relative Percent Difference between two Duplicate pieces of analysis. |
| LCS | Laboratory Control Sample - reported as percent recovery |
| CRM | Certified Reference Material - reported as percent recovery |
| Method Blank | In the case of solid samples these are performed on laboratory certified clean sands. In the case of water samples these are performed on de-ionised water. |
| Surr - Surrogate | The addition of a like compound to the analyte target and reported as percentage recovery. |
| Duplicate | A second piece of analysis from the same sample and reported in the same units as the result to show comparison. |
| Batch Duplicate | A second piece of analysis from a sample outside of the clients batch of samples but run within the laboratory batch of analysis. |
| Batch SPIKE | Spike recovery reported on a sample from outside of the clients batch of samples but run within the laboratory batch of analysis. |
| USEPA | United States Environmental Protection Agency |
| APHA | American Public Health Association |
| ASLP | Australian Standard Leaching Procedure (AS4439.3) |
| TCLP | Toxicity Characteristic Leaching Procedure |
| COC | Chain of Custody |
| SRA | Sample Receipt Advice |
| CP | Client Parent - QC was performed on samples pertaining to this report |
| NCP | Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within |
| TEQ | Toxic Equivalency Quotient |

QC - ACCEPTANCE CRITERIA

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries : Recoveries must lie between 50-150% - Phenols 20-130%.

QC DATA GENERAL COMMENTS

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxophene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxophene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Arochlor 1260 in Matrix Spikes and LCS's.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPD's are calculated from raw analytical data thus it is possible to have two sets of data.

Comments

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | No |
| Sample correctly preserved | Yes |
| Organic samples had Teflon liners | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Authorised By

| | |
|----------------|--------------------------------|
| Andrew Thexton | Client Services |
| Huong Le | Senior Analyst-Inorganic (VIC) |



Glenn Jackson

Laboratory Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Uncertainty data is available on request

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.